

NUMAX

Power you can **depend** on.



CV



RELIABLE PERFORMANCE

The NUMAX range of heavy duty Premium HGV batteries are built to the highest specifications so they are reliable, durable and able to withstand the gruelling workload placed on them by modern day trucks and other commercial vehicles at work.

PREMIUM	PART NUMBER	V AH	CCA (EN)	DIMENSION	WEIGHT(KG)	LAYOUT	TERMINAL	HOLDDOWN
	279	12V 73AH	500 EN	490x110x220	25.5	5	1	B00
	280	6V 150Ah		503x98x192	25.5	9	1	B00
	451	6V 190AH	500 EN	413x174x220	33.5	1	1	B00
	501	6V 88AH	290 EN	227x172x221	16.5	0	1	B00
	501/17	6V 100AH	300 EN	227x172x221	17	0	1	B00
	511	6V 103AH	350 EN	257x172x221	20	0	1	B00
	511/21	6V 138AH	450 EN	257x172x221	0	0	1	B00
	521	6V 117AH	390 EN	291x173x221	22.4	0	1	B00
	531	6V 131AH	450 EN	319x173x222	24.7	0	1	B00
	541	6V 150AH	480 EN	348x173x222	26.3	0	1	B00
	541HDPSV	6V 154AH	480 EN	348x173x230	30	0	PSV	B00
	612	12V 140AH	760 EN	513x185x215	36	3	1	B00
	616L	12V 100AH	600 EN	402x175x220	24.11	0	1	B00
	616R	12V 100AH	600 EN	402x175x220	24.11	1	1	B00
	620	12V 143AH	950 EN	513x218x225	40.6	3	1	B03
	622	12V 130AH	680 EN	512x216x207	38	3	1	B00
	623	12V 143AH	850 EN	513x223x225	39.6	4	1	B00
	624	12V 200AH	1250 EN	518x276x240	53.9	4	1	B00
	624CXT	12V 210AH	1250 EN	518x276x240	53.9	4	1	B00
	625	12V 200AH	1050 EN	518x276x240	53.9	3	1	B00
	629	12V 170AH	1000 EN	513x223x225	43.3	3	1	B00
	629UR	12V 180AH	1000 EN	513x223x225	44.2	3	1	B00
	630	12V 110AH	720 EN	513x175x209	31.96	3	1	B03
632	12V 225AH	1150 EN	518x276x240	57.15	3	1	B00	
633	12V 135AH	680 EN	360x253x240	35.2	6	1	B00	
636	12V 120AH	750 EN	513x189x225	38.2	4	1	B00	
638	12V 143AH	900 EN	510x174x205	38	0	1	B00	

PREMIUM	PART NUMBER	V AH	CCA (EN)	DIMENSION	WEIGHT(KG)	LAYOUT	TERMINAL	HOLDDOWN
	643	12V 95AH	600 EN	346x175x239	22.1	0	1	B00
	644	12V 95AH	600 EN	346x175x239	22.1	1	1	B00
	655	12V 125AH	720 EN	346x175x289	31.4	0	1	B00
	656	12V 125AH	720 EN	346x175x289	31.4	1	1	B00
	663	12V 110AH	750 EN	346x175x239	22.7	0	1	B00
	663FL	12V 110AH	750 EN	346x175x239	22.7	0	1	B00
	663H	12V 110AH	750 EN	346x175x239	24.4	0	1	B01
	663HFL	12V 110AH	750 EN	346x175x239	24.4	0	1	B01
	664	12V 110AH	750 EN	346x175x239	22.7	1	1	B00
	665	12V 120AH	800 EN	346x175x239	24.9	0	1	B00
	713	6V 280AH	700 EN	372x181x370	54.1	0	1	B00
	722	6V 218AH	530 EN	422x176x260	40	0	PSV	B00
	732	6V 160AH	490 EN	364x176x243	0	0	1	B00
733	6V 218AH	530 EN	422x176x243	41	0	1	B00	

STANDARD	PART NUMBER	V AH	CCA (EN)	DIMENSION	WEIGHT(KG)	LAYOUT	TERMINAL	HOLDDOWN
	S625	12V 200AH	1050 EN	518x276x240	53.9	3	1	B00
	S629	12V 155AH	1000 EN	513x223x223	41.6	3	1	B00
	S637	12V 120AH	680 EN	513x189x225	31.5	3	1	B00
	S643	12V 90AH	600 EN	346x175x239	24.5	0	1	B00
	S644	12V 90AH	600 EN	346x175x239	24.5	1	1	B00
	S663	12V 100AH	650 EN	346x175x239	22.1	0	1	B00
S664	12V 100AH	650 EN	346x175x239	22.1	1	1	B00	